

### E. AIDS/STD TRUE-FALSE ITEMS

**TRUE or FALSE. Some of the statements below are true; some are false. Please check T for each statement that you think is TRUE; check F for each one you think is FALSE; and check “?” if you DO NOT KNOW whether the statement is true or false. The term STD means Sexually Transmitted Disease.**

1. A common symptom of STDs in a man is discharge (drip) from his penis. (36)  
 T       F       ?
2. A common symptom of STDs is burning with urination (peeing). (37)  
 T       F       ?
3. A common symptom of STDs is a sore on the penis or vagina. (38)  
 T       F       ?
4. A common symptom of STDs in a woman is discharge from her vagina that causes itching or burning. (39)  
 T       F       ?
5. If you feel healthy you don't have an STD. (40)  
 T       F       ?
6. A woman who has an STD can get an infection in her uterus and tubes. (41)  
 T       F       ?
7. A pregnant woman who has an STD can give it to her baby. (42)  
 T       F       ?
8. If a person has an STD, the person's sexual partner probably has it too. (43)  
 T       F       ?
9. Having HIV/AIDS makes you more likely to get other diseases. (44)  
 T       F       ?
10. A person can have HIV/AIDS and give it to other people even if the person does not look sick. (45)  
 T       F       ?

11. Having sex with a man who shoots drugs is a way many women get HIV/AIDS. (46)  
 T       F       ?
12. Having anal sex (i.e., male penis in butt/anus) increases your chance of getting HIV/AIDS. (47)  
 T       F       ?
13. Using Vaseline as a lubricant when having sex lowers the chance of getting STDs and HIV/AIDS. (48)  
 T       F       ?
14. There is a good chance you will get HIV/AIDS if you share a sink, shower, or toilet seat with someone who has HIV/AIDS. (49)  
 T       F       ?
15. HIV is present in blood, semen, and vaginal fluid. (50)  
 T       F       ?
16. The penis should be hard when the condom is put on it. (51)  
 T       F       ?
17. When a condom is placed on the penis, space should be left at the tip of the condom. (52)  
 T       F       ?
18. The condom should be completely unrolled before it is placed on the penis. (53)  
 T       F       ?
19. Storing or carrying condoms in a hot or warm place can destroy their effectiveness. (54)  
 T       F       ?
20. A girl can not get pregnant the first time she has sex. (55)  
 T       F       ?
21. If a girl washes herself out with a douche after she has sex, she won't become pregnant (56)  
 T       F       ?

22. Even if a guy withdraws (removes his penis) from the woman's vagina before he reaches climax (ejaculates, comes) the woman can still become pregnant. (57)

T       F       ?

23. A girl who is taking birth control pills and does not take them one or two days in a row does not increase her chances of becoming pregnant. (58)

T       F       ?

24. The foam and jelly forms of birth control that a girl uses work better if the boy uses a condom. (59)

T       F       ?